Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(("3169200") or ("2001046749") or ("6417060") or ("6720704")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/29 17:56
L2	4	(("3169200") or ("2001046749") or ("6417060") or ("6720704")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/04/29 17:57
L3	0	("wo9910688").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/29 17:57
L4		(wo99/10688).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/29 17:57
L5	4	("9910688").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/29 18:00
L6	2	("6417060").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/29 18:00
S1	2	"20040189141"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 16:27
S2	1053	(tunnel near diode) and (collector and emitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 13:44

4/29/2006 6:18:27 PM Page 1
C:\Documents and Settings\bliu2\My Documents\EAST\Workspaces\Method for increasing efficiency of thermotunnel devices 10534633.

						7
S3	26	thermotunnel\$3 and (collector and emitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 13:45
S4	0	thermaltunnel\$3 same (collector and emitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 13:45
S5	20	thermotunnel\$3 same (collector and emitter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 13:45
S6	4	"6876123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 13:54
S7	13	"6720704"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2006/04/27 13:54
S8	233	257/46.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:31
S9	4	"6876123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:37
S10	13	"3,169,200"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:49

S11	10	(thermotunnel thermaltunneling) and collector and emitter and @ad<"20021127"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:51
S12	29	thermotunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:51
S13	4	"6876123"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 18:47
514	15	("20030042819" "2510397" "3169200" "3173032" "3821462" "4188571" "4373142" "4667126" "5994638" "6064137" "6489704").PN. OR ("6876123"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/28 16:42
S15	3	("3,173,032").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 16:46
S16	2	("6,971,165").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 16:48
S17	2	("6,869,855").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 16:51
S18	3	("6,720,704").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 17:11

S19	2	("6531703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/28 17:11
S20	26	("2980819" "3138725" "3194989" "3202843" "3218196" "3470393" "3551727" "3558935" "3793542" "3843896").PN. OR ("4373142"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/28 17:38
S21	0	"50 .ang." and thermo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 18:47
S22	0	"50.ang." and thermo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 18:47
S23	0	".ang." and thermo	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 18:47
S24	0	".ang."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 18:48
S25	9209	"50 angstrom"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/28 18:48
S26	5	"50 angstrom" and thermotunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/29 17:55

4/29/2006 6:18:27 PM
C:\Documents and Settings\bliu2\My Documents\EAST\Workspaces\Method for increasing efficiency of thermotunnel devices 10534633.